

Sage Doors 1 piece routed / sanded standard door profiles.

Material Options

Raw HDF (pocketed profiles will also have 2.5 mm deep pocket on the back to equalise tension.)

HDF 1F with white satin melamine on the back. (no need to paint the back of your doors. This option can result in bowed doors.)

HDF 2F with white satin melamine on both faces. (this option is for non pocketed doors where you only want to paint the face.)

Select the Door profile by choosing the material.


Select the Edge profile in the box which pops up. (R1.5 and aris are the most popular)

Select edges to be profiled by marking as edged.

Arizona Framed door Raised panel			Michigan Framed door flat panel		
Texas Flat door			Florida Framed door 30° cut for frame	Edge profile Aris both	
Colorado Flat door with Sharknose			Rhode Island Framed door 30° cut for frame	Edge profile R1.5 face	
New York V grooved equal spacing			Oregon Pocketed 60mm frame	Edge profile R1.5 both	
Tennessee V grooved equal spacing			Carolina Pocketed 18 mm frame Caution required for hardware!	Edge profile R3 face	
Montana V grooved fixed spacing			Maryland Pocketed 18 mm frame	Edge profile R3 both	
Oklahoma V grooved rectangle V grooves within rectangle			Louisiana Pocketed 10 mm frame	Edge profile R5 face	
Wisconsin V grooved rectangle V grooves within rectangle & between rails/stiles			Dakota Pocketed with 71mm spaced V grooves V grooves also between rails/stiles	Edge profile R5 both	
Mississippi Fluted rectangle			Washington Pocketed with 71mm spaced V grooves	Edge profile Roman Ogee	
Hawaii Ripples			Utah Pocketed with beveled pocket		
Alaska Scallops					

### Double Profile Door


Sage Doors can produce your tall doors with two profiles in the one door. As standard, the space between the profiles (rail-width) will be double the standard edge distance for the chosen profile, plus 2 mm. The 2 mm is to allow for a door gap so that your double door will line up with 2 doors above each other, ie: barn doors.  
You can specify the rail-width to be whatever size you want.




### Drawer Front Options

Sage Doors offers 3 standard options for the profiling of drawer fronts. Individual drawer fronts are just ordered like normal parts.  
When ordering drawer fronts with reduced rails or as a drawer pack, please define order by using the grain matching tool.


Individual Drawer fronts




Reduced Rails




Drawer Pack



New York




All equal spacing. Spacing set to max 85.  
Spacing will vary from about 60-85 mm




Minimum width	100mm
Minimum Height	10mm
Min Reduced DF	N/A
Min for drawer pack	N/A

Tennessee





All equal spacing. When ordering, you can set  
the max groove spacing to whatever you want





Minimum width	20mm
Minimum Height	10mm
Min Reduced DF	N/A
Min for drawer pack	N/A

Montana





Minimum width	100mm
Minimum Height	10mm
Min Reduced DF	N/A
Min for drawer pack	N/A

Florida





Minimum width      150mm  
Minimum Height    150mm  
Min Reduced DF    100mm  
Min for drawer pack 100mm

Oregon




Minimum width      150mm  
Minimum Height    150mm  
Min Reduced DF    100mm  
Min for drawer pack 100mm

Rhode Island




Minimum width      150mm  
Minimum Height    150mm  
Min Reduced DF    100mm  
Min for drawer pack 100mm

Louisiana




Minimum width      40mm  
Minimum Height    40mm  
Min Reduced DF    N/A  
Min for drawer pack 40mm

Maryland





Minimum width      40mm  
Minimum Height    40mm  
Min Reduced DF    40mm  
Min for drawer pack 40mm

Carolina





Minimum width      40mm  
Minimum Height    40mm  
Min Reduced DF    40mm  
Min for drawer pack 40mm

Mississippi





Minimum width 150mm  
 Minimum Height 150mm  
 Min Reduced DF 100mm  
 Min for drawer pack 100mm

Oklahoma





Minimum width 150mm  
 Minimum Height 150mm  
 Min Reduced DF 100mm  
 Min for drawer pack 100mm

Wisconsin





Minimum width 150mm  
 Minimum Height 150mm  
 Min Reduced DF 100mm  
 Min for drawer pack 100mm

Michigan





Minimum width	150mm
Minimum Height	150mm
Min Reduced DF	100mm
Min for drawer pack	100mm

Arizona





Minimum width	180mm
Minimum Height	180mm
Min Reduced DF	120mm
Min for drawer pack	100mm

Hawaii




Minimum width	100mm
Minimum Height	100mm
Min Reduced DF	N/A
Min for drawer pack	N/A

Utah





Minimum width 150mm  
 Minimum Height 150mm  
 Min Reduced DF 100mm  
 Min for drawer pack 100mm

Washington



Minimum width 150mm  
 Minimum Height 150mm  
 Min Reduced DF 100mm  
 Min for drawer pack 100mm


Dakota



Minimum width 150mm  
 Minimum Height 150mm  
 Min Reduced DF 100mm  
 Min for drawer pack 100mm




Texas




Minimum width 10mm  
Minimum Height 10mm  
Min Reduced DF N/A  
Min for drawer pack N/A

Colorado




Minimum width 70mm  
Minimum Height 70mm  
Min Reduced DF N/A  
Min for drawer pack 50mm

Alaska



42 mm is standard maximum spacing. When ordering, you can set the maximum spacing to whatever you want



Minimum width 40mm  
Minimum Height 10mm  
Min Reduced DF N/A  
Min for drawer pack 50mm